



**Security level: Class S2 according to EN 14450**  
**Security level: B according to VDMA 24992 -**  
**Conditions May '95**

**SPECIAL FEATURE** - safe equipped with 200 mm high inner safe and an adjustable shelf in gun side (model 55000 equipped with 150 mm inner safe).

Suitable for the storage of:

- long, short weapons
- ammunition

#### Description

Inzell series - gun safes, gun storage space 1248.

**Body:** double-walled body (60 mm thick)

**Door:** multi-walled door construction (100 mm thick)

**Locking:** 4-way locking bolt system - incl. overlapping profile on the hinge side

#### Standard option

**Lock:** high security key lock I class VdS with two keys (120 mm)

**Boltwork handle:** handle, protruding 60 mm

**Hinges:** external

**Door opening angle:** 180°

**Mounting holes:** 2 holes in the floor and back wall

**Colour:** RAL 7035 (light grey)

| Art. No. | Model     | Outer dimensions* |          |          | Inner dimensions |          |          | Door light |          | Anchoring     |                 | Weight | Shelves | Weapon brackets | Internal safe |
|----------|-----------|-------------------|----------|----------|------------------|----------|----------|------------|----------|---------------|-----------------|--------|---------|-----------------|---------------|
|          |           | Height mm         | Width mm | Depth mm | Height mm        | Width mm | Depth mm | Height mm  | Width mm | Bottom number | Backwall number | Kg     | Number  | Number          | Height mm     |
| 55000    | Inzell    | 1500              | 700      | 500      | 1248             | 580      | 298      | 1346       | 546      | 2             | 2               | 200    | 1       | 10              | 150           |
| 55001    | Inzell    | 1650              | 800      | 500      | 1348             | 680      | 298      | 1496       | 646      | 2             | 2               | 280    | 1       | 12              | 200           |
| 55002    | Inzell    | 1800              | 800      | 550      | 1498             | 680      | 348      | 1646       | 646      | 2             | 2               | 325    | 1       | 12              | 200           |
| 55003    | Inzell ** | 1800              | 950      | 550      | 1498             | 830      | 348      | 1646       | 796      | 2             | 2               | 370    | 1       | 15              | 200           |
| 55004    | Inzell ** | 1800              | 1260     | 550      | 1498             | 1140     | 348      | 1646       | 1106     | 2             | 2               | 430    | 1       | 20              | 200 ***       |

\* excluding hinges, handles and fittings

\*\* 2-door

\*\*\* double-door inner safe with partition wall



Body: double-walled body (60 mm thick)



Door: multi-walled door construction (100 mm thick)

#### Closure options

##### Standard option



Key lock

##### Options available against surcharge



Mechanical code lock




Electronic lock




Electronic lock with mechanical emergency

#### Accessories available against surcharge



Storage tray




Partition wall with shelves

#### Alternative options




Left door



Gun holder (65 mm)



Rubbery gun holder



PRAX gun holder



RAL  
7035

RAL  
6020

RAL  
7024



All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

The image depicts a sample of a gun safe - **St.Gallen 56402** with additional equipment.




With options **left door** - internal equipment will be located opposite to the standard - the so-called mirror reflection




Option with **partition wall** - the amount of gun holders and the location of the shelves is needed




Gun holder



Gun holders with  
55 mm span




Rubbery gun holders




PRAX gun holders

## Foam gun holders

Standard foam gun holder with 55 mm span




Foam gun holder with 65 mm span




Exemplary assembly of the gun holders on the rail:

❗ Foam gun holders are assembled as one piece not separately.




## Rubbery gun holders

Rubbery gun holder




Exemplary assembly of the gun holders on the rail:

❗ Rubbery gun holders may be assembled on the rail separately, which enables extending of the distance between them. There is a possibility to disassembly particular gun holders. Special rail required.



PRAX gun holder



❗ Gun holders may be screwed to the rail separately, which enables extending of the distance between them.

Special rail required.

