INTER SICHERHEITS SERVICE

Model
Osnabrück-Melle

Security level: Class I according to EN 1143-1

SPECIAL FEATURE - safe equipped with 180 / 215 / 350 mm high inner safe (depending on the model). The back wall made in a manner which facilitates relocating the gun holders.

Suitable for the storage of:
- **long, short weapons**
- **ammunition**
- **office documents**
- **valuables**

Description
Osnabrück-Melle series - High security gun safes.

Body: multi-walled body (35 mm thick)
Door: multi-walled door construcktion (83 mm thick)
Locking: 4-way locking bolt system - incl. overlaping profile on the hinge side

Standard option
Lock: high security key lock I class VdS with two keys (95 mm)
Boltwork handle: handle, protruding 60 mm
Hinges: external
Door opening angle: 180°
Mounting holes: 1 hole in the floor
Colour: RAL 7035 (light grey)

Model
Osnabrück-Melle

Art. No.	Model	Outer dimensions*			Inner dimensions			Door light		Anchoring		Weight	Shelves	Weapon brackets	Internal safe
		Height mm	Width mm	Depth mm	Height mm	Width mm	Depth mm	Height mm	Width mm	Bottom number	Backwall number	Kg	Number	Number	Height mm
55700	Osnabrück-Melle	1470	520	415	1205	450	256	1370	420	1	-	165	-	8	180
55701	Osnabrück-Melle	1600	520	415	1300	450	256	1500	420	1	-	178	-	8	215
55702	Osnabrück-Melle	1470	800	415	1205	730	256	1370	700	1	-	222	-	13	180
55703	Osnabrück-Melle	1600	800	495	1300	730	336	1500	700	1	-	258	-	13	215
55704	Osnabrück-Melle	1820	800	495	1385	730	336	1720	700	1	-	290	-	13	350

* excluding hinges, handles and fittings

Body: multi-walled body (35 mm thick)

Door: multi-walled door construcktion (83 mm thick)

Closure options

Standard option

Key lock

Options available against surcharge

Mechanical code lock

Electronic lock

Electronic lock with mechanical emergency

Accessories available against surcharge



Partition wall with shelves

Alternative options

Left door

Gun holder (65 mm)

Rubbery gun holder

PRAX gun holder

RAL 7035 | RAL 6020 | RAL 7024

All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

Gun safes

INTER
SICHERHEITS
SERVICE

The image depicts a sample of a gun safe - **St.Gallen 56402** with additional equipment.

With options **left door** - internal equipment will be located opposite to the standard - the so-called mirror reflection

Right door
(Hinges on right)

Left door
(Hinges on left)

Option with **partition wall** - the amount of gun holders and the location of the shelves is needed

Gun holder



Gun holders with
55 mm span



Rubbery gun holders



PRAX gun holders

Gun safes

INTER SICHERHEITS SERVICE

Foam gun holders

Standard foam gun holder with **55 mm span**



Foam gun holder with **65 mm span**



Exemplary assembly of the gun holders on the rail:

Foam gun holders are assembled as one piece not separately.

















Rubbery gun holders

Rubbery gun holder



PRAX gun holder



Exemplary assembly of the gun holders on the rail:

Rubbery gun holders may be assembled on the rail separately, which enables extending of the distance between them.
There is a possibility to disassembly particular gun holders.
Special rail required.







Gun holders may be screwed to the rail separately, which enables extending of the distance between them.

Special rail required.







Gun safes