

Model
Leverkusen-Pulheim



Security level: Class S2 according to EN 14450
Security level: B according to VDMA 24992 - Conditions May '95
Fire rating: Fire-protected safes according to EN 1047-1 S60P

SPECIAL FEATURE - safe equipped with an adjustable shelf.

Suitable for the storage of:

- gun
- ammunition
- office documents

Description

Leverkusen-Pulheim series - the gun safes with one hour protection from fire S 60 P.

Body: double-walled body (50 mm thick)

Door: multi-walled door construction (95 mm thick)

Locking: 4-way locking bolt system - incl. fix bolts on the hinge side

Standard option

Lock: high security key lock I class VdS with two keys (120 mm)

Boltwork handle: handle, protruding 60mm

Hinges: external

Door opening angle: 180°

Mounting holes: 2 holes in the floor

Colour: RAL 7035 (light grey)

Model
Leverkusen-Pulheim

Art. No.	Model	Outer dimensions*			Inner dimensions			Door light		Anchoring		Weight	Shelves	Weapon brackets	Internal safe
		Height mm	Width mm	Depth mm	Height mm	Width mm	Depth mm	Height mm	Width mm	Bottom number	Backwall number	Kg	Number	Number	Height mm
57000	Leverkusen-Pulheim	1322	704	471	1221	604	339	1206	569	2	-	305	1	10	-
57001	Leverkusen-Pulheim	1507	704	471	1406	604	339	1391	569	2	-	340	1	10	-
57002	Leverkusen-Pulheim	1322	547	471	1221	447	295	1206	412	2	-	270	1	8	-
57003	Leverkusen-Pulheim	1400	650	471	1299	550	339	1284	515	2	-	285	1	9	-
57004	Leverkusen-Pulheim	1507	547	471	1406	447	339	1391	412	2	-	315	1	8	-

* excluding hinges, handles and fittings



Body: double-walled body (50 mm thick)



Door: multi-walled door construction (95 mm thick)

Closure options

Standard option



Key lock

Options available against surcharge



Mechanical code lock




Electronic lock




Electronic lock with mechanical emergency (Excl. Art. 57002, 57004)


Accessories available against surcharge



Inner safe (Excl. Art. No. 57000, 57002, 57003)



Storage tray




Partition wall with shelves


Alternative options




Left door



Gun holder (65 mm)



Rubbery gun holder



PRAX gun holder



RAL 7035

RAL 6020

RAL 7024



All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

The image depicts a sample of a gun safe - **St.Gallen 56402** with additional equipment.




With options **left door** - internal equipment will be located opposite to the standard - the so-called mirror reflection




Option with **partition wall** - the amount of gun holders and the location of the shelves is needed




Gun holder



Gun holders with
55 mm span




Rubbery gun holders




PRAX gun holders

Foam gun holders

Standard foam gun holder with 55 mm span




Foam gun holder with 65 mm span




Exemplary assembly of the gun holders on the rail:

❗ Foam gun holders are assembled as one piece not separately.




Rubbery gun holders

Rubbery gun holder




Exemplary assembly of the gun holders on the rail:

❗ Rubbery gun holders may be assembled on the rail separately, which enables extending of the distance between them. There is a possibility to disassembly particular gun holders. Special rail required.



PRAX gun holder



❗ Gun holders may be screwed to the rail separately, which enables extending of the distance between them.

Special rail required.

