

Model  
**safe4key I**



**Security level:**  
Class I according to EN 1143-1

Suitable for the storage of:

- keys
- documents
- valuables

**Description**  
Safe4key I series - safe with ECB•S certificate, for storing keys, documents and valuables.

**Body:** multi-walled body (25 mm thick)  
**Door:** multi-walled door construction (84 mm thick)  
**Locking:** 4-way locking bolt system - incl. overlapping profile on the hinge side

**Standard option**  
**Lock:** high security key lock I class VdS with three keys (95 mm) or electronic lock II class VdS  
**Boltwork handle:** handle, protruding 12 mm  
**Hinges:** external  
**Door opening angle:** 180°  
**Mounting holes:** 1 hole in the floor, 1 on the backwall (not drilled) up to 1/3 height  
**Colour:** RAL 7024, RAL 7035

Model  
**safe4key I**

Art. No.	Model	Outer dimensions*			Inner dimensions			Door light		Anchoring		Hooks in total	Shelves	Weight
		Height mm	Width mm	Depth mm	Height mm	Width mm	Depth mm	Height mm	Width mm	Bottom number	Backwall number	Number	Number (Width) mm	Kg
157000.00	safe4key I	440	330	165	390	282	55	330	255	1	2 **	5 + SHP ***	-	30
157001.00	safe4key I	400	400	270	350	341	157	288	304	1	1 **	64	-	42
157002.00	safe4key I	400	420	420	350	361	307	288	324	1	1 **	160	-	67
157003.00	safe4key I	400	420	420	350	361	307	288	324	1	1 **	72	-	67
157004.00	safe4key I	500	500	420	450	441	307	388	404	1	1 **	280	-	88
157005.00	safe4key I	500	500	420	450	441	307	388	404	1	1 **	144	-	88
157006.00	safe4key I	650	500	420	600	441	307	538	404	1	1 **	440	-	107
157007.00	safe4key I	650	500	420	600	441	307	538	404	1	1 **	280	1	102
157008.00	safe4key I	650	500	420	600	441	307	538	404	1	1 **	192	-	107
157009.00	safe4key I	800	500	420	750	441	307	688	404	1	1 **	280	1	117
157010.00	safe4key I	800	500	420	750	441	307	688	404	1	1 **	440	1	122
157011.00	safe4key I	800	500	420	750	441	307	688	404	1	1 **	600	-	130
157012.00	safe4key I	1000	500	420	950	441	307	888	404	1	1 **	720	-	159
157013.00	safe4key I	1000	500	420	950	441	307	888	404	1	1 **	440	1	142
157014.00	safe4key I	1000	500	420	950	441	307	888	404	1	1 **	280	2	137
157015.00	safe4key I	1000	500	420	950	441	307	888	404	1	1 **	600	1	150
157016.00	safe4key I	1150	500	420	1100	441	307	1038	404	1	1 **	880	-	179
157017.00	safe4key I	1150	500	420	1100	441	307	1038	404	1	1 **	440	2	157
157018.00	safe4key I	1150	500	420	1100	441	307	1038	404	1	1 **	280	2	152
157019.00	safe4key I	1150	500	420	1100	441	307	1038	404	1	1 **	560	1	169
157020.00	safe4key I	1150	500	420	1100	441	307	1038	404	1	1 **	600	1	165
157021.00	safe4key I	1300	500	420	1250	441	307	1188	404	1	1 **	880	1	194
157022.00	safe4key I	1300	500	420	1250	441	307	1188	404	1	1 **	440	2	172
157023.00	safe4key I	1300	500	420	1250	441	307	1188	404	1	1 **	280	3	167
157024.00	safe4key I	1300	500	420	1250	441	307	1188	404	1	1 **	560	1	184
157025.00	safe4key I	1300	500	420	1250	441	307	1188	404	1	1 **	1040	-	202

\* excluding hinges, handles and fittings \*\* not drilled \*\*\* hook strip for self assembly + SHP (individual hooks arrangements system)




Body: multi-walled body (25 mm thick)



Door: multi-walled door construction (84 mm thick)

**Closure options**

Standard option



Key lock

Electronic lock Solar Basic

Options available against surcharge



Mechanical code lock

Mechanical code lock




Electronic lock

Electronic lock with mechanical emergency (from art. no. 157004.00)



All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

### Hooks and key ring options against surcharge


					
 blue	Art. 02532	Art. 02527	Art. 02520	 blue	Art. 15023.00
 green	Art. 02531	Art. 02526	Art. 02524	 green	Art. 15023.01
 yellow	Art. 02530	Art. 02525	Art. 02523	 yellow	Art. 15023.02
 red	Art. 02533	Art. 02528	Art. 02521	 red	Art. 15023.03
 black	Art. 02534	Art. 02529	Art. 02522	 black	Art. 15023.04

Art. No.	Model	Hook bars			Hooks on hook bar			Partition wall Number	Hooks in total Number
		Back wall Number	Door Number	Partition wall Number	Back wall Number	Door Number	Partition wall Number		
157000.00	safe4key I	SHP *	1	-	SHP *	5	-	-	5 + SHP *
157001.00	safe4key I	4	3	-	10	8	-	-	64
157002.00	safe4key I	-	-	2/3	-	-	8	4	160
157003.00	safe4key I	-	-	2/2	-	-	6	3	72
157004.00	safe4key I	-	-	3/4	-	-	8	5	280
157005.00	safe4key I	-	-	3/3	-	-	6	4	144
157006.00	safe4key I	-	-	5/6	-	-	8	5	440
157007.00	safe4key I	-	-	3/4	-	-	8	5	280
157008.00	safe4key I	-	-	4/4	-	-	6	4	192
157009.00	safe4key I	-	-	3/4	-	-	8	5	280
157010.00	safe4key I	-	-	5/6	-	-	8	5	440
157011.00	safe4key I	-	-	7/8	-	-	8	5	600
157012.00	safe4key I	-	-	3/4 + 5/6	-	-	8	5 x 2	720
157013.00	safe4key I	-	-	5/6	-	-	8	5	440
157014.00	safe4key I	-	-	3/4	-	-	8	5	280
157015.00	safe4key I	-	-	7/8	-	-	8	5	600
157016.00	safe4key I	-	-	5/6	-	-	8	5 x 2	880
157017.00	safe4key I	-	-	5/6	-	-	8	5	440
157018.00	safe4key I	-	-	3/4	-	-	8	5	280
157019.00	safe4key I	-	-	3/4	-	-	8	5 x 2	560
157020.00	safe4key I	-	-	7/8	-	-	8	5	600
157021.00	safe4key I	-	-	5/6	-	-	8	5 x 2	880
157022.00	safe4key I	-	-	5/6	-	-	8	5	440
157023.00	safe4key I	-	-	3/4	-	-	8	5	280
157024.00	safe4key I	-	-	3/4	-	-	8	5 x 2	560
157025.00	safe4key I	-	-	5/6 + 7/8	-	-	8	5 x 2	1040


\* SHP - individual hooks arrangements system

### Standard hook bars


Art. no. 02021.01




Art. no. 02008







Art. no. 02010



### Bars





Hook assembly instructions

