

FOAM SEAL
2 x 10 mm

MOVABLE
SHELVES

A HOOK
BAR *

3
KEYS
INCLUDED

Security level:
Class I according to EN 1143-1

Suitable for the storage of:

- office documents, office equipment
- valuables

Description

save4ever I series - high security safe - ECB+S certification.

Body: multi-walled body (25 mm thick)

Door: multi-walled door construction (74 mm thick)

Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option

Lock: high security key lock I class VdS with three

keys (95 mm) or electronic lock II class VdS

Boltwork handle: handle, protruding 12 mm

Hinges: external

Door opening angle: 180°

Mounting holes: 1 hole in the floor, 1 on the backwall (not drilled) up to 1/3 height

save4ever I



key lock



402000.11 / 402000.01

402001.11 / 402001.01

402002.11 / 402002.01

402003.11 / 402003.01

Outer dimensions HxWxD (mm)	400 x 400 x 270	400 x 420 x 420	500 x 500 x 420	650 x 500 x 420
Inner dimensions HxWxD (mm)	350 x 341 x 157	350 x 361 x 307	450 x 441 x 307	600 x 441 x 307
Weight	39 kg	55 kg	71 kg	85 kg
Files number (pcs.):	1	4	7	9
Shelves number (pcs.):	1	1	1	1
Hooks on the hook bar (pcs.)	5	5	5	5
Volume (l.)	18	39	60	81
Lock type	key lock (3 keys included)			
Paint	RAL 7024			

* hook strip for self assembly



key lock



402004.11 / 402004.01

402005.11 / 402005.01

402006.11 / 402006.01

402007.11 / 402007.01

Outer dimensions HxWxD (mm)	800 x 500 x 420	1000 x 500 x 420	1150 x 500 x 420	1300 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307	950 x 441 x 307	1100 x 441 x 307	1250 x 441 x 307
Weight	100 kg	120 kg	135 kg	150 kg
Files number (pcs.):	12	15	18	20
Shelves number (pcs.):	1	2	2	3
Hooks on the hook bar (pcs.)	5	5	5	5
Volume (l.)	101	127	148	169
Lock type	key lock (3 keys included)			
Paint	RAL 7024			

* hook strip for self assembly

**** changes in inner equipment, locks or dimensions - please contact us**



Electronic lock - Solar Basic



402000.12 / 402000.02

402001.12 / 402001.02

402002.12 / 402002.02

402003.12 / 402003.02

Outer dimensions HxWxD (mm)	400 x 400 x 270	400 x 420 x 420	500 x 500 x 420	650 x 500 x 420
Inner dimensions HxWxD (mm)	350 x 341 x 157	350 x 361 x 307	450 x 441 x 307	600 x 441 x 307
Weight	39 kg	55 kg	71 kg	85 kg
Files number (pcs.):	1	4	7	9
Shelves number (pcs.):	1	1	1	1
Hooks on the hook bar (pcs.)	5	5	5	5
Volume (l.)	18	39	60	81
Lock type	Electronic lock - Solar Basic			
Paint	RAL 7024			

* hook strip for self assembly



Electronic lock - Solar Basic



402004.12 / 402004.02

402005.12 / 402005.02

402006.12 / 402006.12

402007.12 / 402007.02

Outer dimensions HxWxD (mm)	800 x 500 x 420	1000 x 500 x 420	1150 x 500 x 420	1300 x 500 x 420
Inner dimensions HxWxD (mm)	750 x 441 x 307	950 x 441 x 307	1100 x 441 x 307	1250 x 441 x 307
Weight	100 kg	120 kg	135 kg	150 kg
Files number (pcs.):	12	15	18	20
Shelves number (pcs.):	1	2	2	3
Hooks on the hook bar (pcs.)	5	5	5	5
Volume (l.)	101	127	148	169
Lock type	Electronic lock - Solar Basic			
Paint	RAL 7024			

* hook strip for self assembly

**** changes in inner equipment, locks or dimensions - please contact us**



Mechanical code lock



Electronic lock -
Solar Business



Electronic lock -
Primor 3000 level 5



Electronic lock -
Primor 3000 level 15




Electronic lock - B 30

Accessories available against surcharge

402000.01 / 402000.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402000.02 / 402000.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402001.01 / 402001.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
402001.02 / 402001.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402002.01 / 402002.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402002.02 / 402002.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402003.01 / 402003.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402003.02 / 402003.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402004.01 / 402004.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402004.02 / 402004.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402005.01 / 402005.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402005.02 / 402005.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402006.01 / 402006.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402006.02 / 402006.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
402007.01 / 402007.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
402007.02 / 402007.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

**** changes in inner equipment, locks or dimensions - please contact us**

 All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80 | 66-400 Gorzów Wlkp.
F +48 95 723 97 82 | ul. Kobylogórska 2
E biuro@iss.net.pl | www.iss.net.pl