

FOAM SEAL
2 x 10 mm

A HOOK
BAR *

MOVABLE
SHELVES

CLASS
III
according to
EN 1143-1

Security level:
Class III according to EN 1143-1

Suitable for the storage of:

- office documents, office equipment
- valuables

Description

save4ever III series - high security safe - ECB•S certification.

Body: multi-walled body

Door: multi-walled door construction

Locking: 4-way locking bolt system - incl. overlapping profile on the hinge side

Standard option

Lock: high security key lock with two keys or electronic lock

Boltwork handle: handle, protruding 60 mm

Hinges: external

Door opening angle: 180°

Mounting holes: 1 hole in the floor, 1 on the backwall (not drilled) up to 1/3 height

Colour: RAL 7024, RAL 7035

save4ever III





key lock



419100.11 / 419100.01

419101.11 / 419101.01

419102.11 / 419102.01

419103.11 / 419103.01

Outer dimensions HxWxD (mm)	450 x 450 x 465	550 x 550 x 465	700 x 550 x 465	850 x 550 x 465
Inner dimensions HxWxD (mm)	350 x 340 x 305	450 x 440 x 305	600 x 440 x 305	750 x 440 x 305
Weight	177 kg	239 kg	287 kg	335 kg
Files number (pcs.):	4	7	9	12
Shelves number (pcs.):	1	1	1	1
Hooks on the hook bar (pcs.) *	5	5	5	5
Volume (l.)	36	60	81	101
Lock type	Key lock (2 keys included)			
Paint	RAL 7024 / RAL 7035			

* hook strip for self assembly



key lock



419104.11 / 419104.01

419105.11 / 419105.01

419106.11 / 419106.01

Outer dimensions HxWxD (mm)	1050 x 550 x 465	1200 x 550 x 465	1350 x 550 x 465
Inner dimensions HxWxD (mm)	950 x 440 x 305	1100 x 440 x 305	1250 x 440 x 305
Weight	401 kg	450 kg	501 kg
Files number (pcs.):	15	18	20
Shelves number (pcs.):	2	2	3
Hooks on the hook bar (pcs.) *	5	5	5
Volume (l.)	127	148	168
Lock type	Key lock (2 keys included)		
Paint	RAL 7024 / RAL 7035		

* hook strip for self assembly

**** changes in inner equipment, locks or dimensions - please contact us**



Electronic lock -
Solar Basic



419100.12 / 419100.02

419101.12 / 419101.02

419102.12 / 419102.02

419103.12 / 419103.02

Outer dimensions HxWxD (mm)	450 x 450 x 465	550 x 550 x 465	700 x 550 x 465	850 x 550 x 465
Inner dimensions HxWxD (mm)	350 x 340 x 305	450 x 440 x 305	600 x 440 x 305	750 x 440 x 305
Weight	177 kg	239 kg	287 kg	335 kg
Files number (pcs.):	4	7	9	12
Shelves number (pcs.):	1	1	1	1
Hooks on the hook bar (pcs.) *	5	5	5	5
Volume (l.)	36	60	81	101
Lock type	Electronic lock - Solar Basic			
Paint	RAL 7024 / RAL 7035			

* hook strip for self assembly



Electronic lock -
Solar Basic



419104.12 / 419104.02

419105.12 / 419105.02

419106.12 / 419106.02

Outer dimensions HxWxD (mm)	1050 x 550 x 465	1200 x 550 x 465	1350 x 550 x 465
Inner dimensions HxWxD (mm)	950 x 440 x 305	1100 x 440 x 305	1250 x 440 x 305
Weight	401 kg	450 kg	501 kg
Files number (pcs.):	15	18	20
Shelves number (pcs.):	2	2	3
Hooks on the hook bar (pcs.) *	5	5	5
Volume (l.)	127	148	168
Lock type	Electronic lock - Solar Basic		
Paint	RAL 7024 / RAL 7035		

* hook strip for self assembly

**** changes in inner equipment, locks or dimensions - please contact us**



Mechanical code lock



Electronic lock - Solar Business



Electronic lock - Primor 3000 level 5




Electronic lock - Primor 3000 level 15



Electronic lock - B 30

Accessories available against surcharge

419100.01 / 419100.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>
419100.02 / 419100.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419101.01 / 419101.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419101.02 / 419101.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419102.01 / 419102.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419102.02 / 419102.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419103.01 / 419103.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419103.02 / 419103.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419104.01 / 419104.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419104.02 / 419104.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419105.01 / 419105.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419105.02 / 419105.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
419106.01 / 419106.11	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>
419106.02 / 419106.12	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>



**** changes in inner equipment, locks or dimensions - please contact us**

All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

INTER SICHERHEITS SERVICE Sp. z o.o.

T +48 95 723 97 77 - 80 | 66-400 Gorzów Wlkp.
F +48 95 723 97 82 | ul. Kobylgórska 2
E biuro@iss.net.pl | www.iss.net.pl