INTER SICHERHEITS SERVICE

Model
Düsseldorf-Meerbusch





Security level: Class S2 according to EN 14450
Security level: B according to VDMA 24992 - Conditions May ‘95
Fire rating: Fire-protected safes according to EN 15659 LFS 30 P

SPECIAL FEATURE - model 55100 equipped with 150 mm high inner safe, other models equipped with 370 mm high inner safe with cylindrical lock.

Suitable for the storage of:
- **short, long weapons**
- **ammunition**
- **office documents**

Description
Düsseldorf-Meerbusch series - gun cabinets mit 30 min fire resistance (LFS 30 P).

Body: double-walled body (65 mm thick)
Door: multi-walled door construction (94 mm thick)
Locking : 4-way locking bolt system - incl. fix bolts on the hinge side

Standard option:
Lock: high security key lock I class with two keys (120 mm)
Boltwork handle: handle, protruding 60mm
Hinges: external
Door opening angle: 180°
Mounting holes: 2 holes in the floor
Colour: RAL 7035 (light grey)



Model
Düsseldorf-Meerbusch

Art. No.	Model	Outer dimensions* Height mm	Outer dimensions* Width mm	Outer dimensions* Depth mm	Inner dimensions Height mm	Inner dimensions Width mm	Inner dimensions Depth mm	Door light Height mm	Door light Width mm	Anchoring Bottom number	Anchoring Backwall number	Weight Kg	Shelves Number	Weapon brackets Number	Internal safe Height mm
55100	Düsseldorf-Meerbusch	1525	705	527	1229	574	327	1379	534	2	-	250	-	10	150
55101	Düsseldorf-Meerbusch	1875	705	527	1359	574	327	1729	534	2	-	298	-	10	370 ***
55102	Düsseldorf-Meerbusch **	1875	955	527	1359	824	327	1729	784	2	-	372	-	14	370 ****
55103	Düsseldorf-Meerbusch **	1875	1305	527	1359	1174	327	1729	1134	2	-	462	-	21	370 ****

* excluding hinges, handles and fittings ** 2-door *** with adjustable shelf **** double-door inner safe with partition wall; with adjustable shelf

Body: double-walled body (65 mm thick)

Door: multi-walled door construction (94 mm thick)

Closure options

Standard option



Key lock

Options available against surcharge




Mechanical code lock

Electronic lock


Electronic lock with mechanical emergency

Accessories available against surcharge



Partition wall with shelves

Alternative options



Left door

Gun holder (65 mm)

Rubbery gun holder

PRAX gun holder

RAL 7035

RAL 6020

RAL 7024

All information concerning weight, color and dimensions are noncommittal and subject to errors and changes. Minor deviations are conditional on the production process. Technical changes, modifications and printing errors reserved. Safes may be top-heavy, during commissioning, please exercise appropriate caution in accordance with the installation guide. Pictograms are not technical description of the product.

The image depicts a sample of a gun cabinet - **St.Gallen 56402** with additional equipment.



With options **left door** - internal equipment will be located opposite to the standard - the so-called mirror reflection





Right door
(Hinges on right)






Left door
(Hinges on left)


Option with **partition wall** - the amount of gun holders and the location of the shelves is needed




Gun holder



Gun holders with
55 mm span



Rubbery gun holders




PRAX gun holders


Gun safes

Foam gun holders

Standard foam gun holder with
55 mm span





Foam gun holder with
65 mm span



Exemplary assembly of the gun holders on the rail:


Foam gun holders are assembled as one piece not separately.






Rubbery gun holders

Rubbery gun holder




PRAX gun holder




Exemplary assembly of the gun holders on the rail:

Rubbery gun holders may be assembled on the rail separately, which enables extending of the distance between them.
There is a possibility to disassembly particular gun holders.
Special rail required.



Gun holders may be screwed to the rail separately, which enables extending of the distance between them.

Special rail required.



Gun safes